HANDCRAFTED DOORS FOR LUXURY OUTDOOR LIVING

FOLDING | SLIDING | SWING | WINDOWS













AG MILLWORKS ADVANTAGE

HANDCRAFTED LUXURY

ALL DOOR SYSTEMS ARE HANDMADE AT OUR FACTORY IN VENTURA, CALIFORNIA, NO AUTOMATION OR ASSEMBLY LINES.

CUSTOM SIZES WITHOUT UP-CHARGES

DOOR SYSTEMS ARE MADE TO ORDER. CUSTOM SIZES WILL NOT ADD EXTRA COSTS OR DELAY LEAD TIMES.

VARIETY OF RAIL/STILE PROFILES AND SILL OPTIONS

SLIMLINE | ultra-modern, EURO | contemporary OR TRADITIONAL | classic PROFILES AVAILABLE.

SUPERIOR STRENGTH AND DEPENDABILITY

ALL CLAD DOOR SYSTEMS HAVE LVL CORES FOR DIMENSIONAL STABILITY AND 3/16" THICK VENEER SKINS.

BIGGEST IN THE BUSINESS

BIG DAYLIGHT BI-FOLD PANEL SIZES UP TO 4' WIDE AND 13' TALL.

PRE-DRILLED INSTALLATION HOLES

ALL BI-FOLD HEADER INSTALLATION HOLES ARE PRE-DRILLED AND ALL HARDWARE IS INCLUDED.

FURNITURE QUALITY FINISH

MULTI-COAT PAINT PROCESS FOR A BEAUTIFUL LONG-LASTING FINISH.

DURABLE KYNAR 700 EXTERIOR PAINT

RESISTS WEATHER AND WEAR.

TITLE 24 PRESCRIPTIVE COMPLIANT

MEETS LATEST ENERGY EFFICIENCY STANDARDS. NFRC CERTIFIED.

FAST LEAD TIMES

FAST BUILD TIMES, SO YOU DON'T HAVE TO WAIT.

WE HANG AND SWING EVERY DOOR IN OUR FACTORY

UNITS ARE BUILT, HUNG, AND SWUNG TO ENSURE THE FRAME, PANELS, AND HARDWARE ARE PRECISE AND FUNCTIONAL.

FACTORY INSTALLED RETRACTABLE SCREENS

OPTIONAL RETRACTABLE ACCORDION SCREEN IS FACTORY INSTALLED AND INTEGRATED INTO THE JAMB.

PRE-BUILT FRAMES

WE DELIVER DOOR SYSTEM FRAMES FULLY ASSEMBLED TO SAVE TIME, SPACE, AND MONEY.


JOB-SITE DELIVERY

FOR A MINOR CHARGE, WE WILL DELIVER YOUR SYSTEMS, ELIMINATING THE NEED FOR HANDLING.

10-YEAR WARRANTY

10-YEAR LIMITED WARRANTY ON ALL ALUMINUM CLAD DOORS.





ENERGY PERFORMANCE

AG MILLWORKS DOOR SYSTEMS MEET OR BEAT CALIFORNIA'S BUILDING ENERGY EFFICIENCY STANDARDS.

SLIMLINE | ultra-modern BI-FOLD DOORS

With LoE 366/Argon IG (Dual Glaze)

SPECIES/TYPE	U-FACTOR	SHGC
Clad/Wood	.29	.21

SLIMLINE | ultra-modern SLIDING DOORS

With LoE 366/Argon IG (Dual Glaze)

SPECIES/TYPE	U-FACTOR	SHGC
Clad/Wood	.30	.21

SLIMLINE | ultra-modern FRENCH DOORS (IN-SWING)

With LoE 366/Argon IG (Dual Glaze)

SPECIES/TYPE	U-FACTOR	SHGC
Clad/Wood	.29	.20

SLIMLINE | ultra-modern FRENCH DOORS (OUT-SWING)

With LoE 366/Argon IG (Dual Glaze)

9	*	
SPECIES/TYPE	U-FACTOR	SHGC
Clad/Wood	.29	.21

EURO | contemporary BI-FOLD DOORS

With LoE 366/Argon IG (Dual Glaze)

SPECIES/TYPE	U-FACTOR	SHGC
Clad/Wood	.30	.19
All Wood	.28	.19
Accoya Wood	.27	.19

EURO | contemporary SLIDING DOORS

With LoE 366/Argon IG (Dual Glaze)

SPECIES/TYPE	U-FACTOR	SHGC
Clad/Wood	.30	.21
All Wood	.27	.21
Accoya Wood	.26	.21

EURO | contemporary FRENCH DOORS (IN-SWING)

With LoE 366/Argon IG (Dual Glaze)

SPECIES/TYPE	U-FACTOR	SHGC
Clad/Wood	.30	.19
All Wood	.27	.19
Accoya Wood	.26	.19

EURO | contemporary FRENCH DOORS (OUT-SWING)

With LoE 366/Argon IG (Dual Glaze)

SPECIES/TYPE	U-FACTOR	SHGC
Clad/Wood	.30	.20
All Wood	.28	.20
Accoya Wood	.27	.20



FOLDING DOOR SYSTEMS

AG MILLWORKS FOLDING SYSTEMS can dramatically expand your living space, opening entire walls to the outdoors as they fold completely out of the way. Our novel design options create amazing folding door systems that will compliment any space.

Custom-crafted with the highest quality materials, AG Millworks builds folding door systems with innovative functionality. By choosing to create a system that includes an odd number of doors in any direction, you can decide to have a convenient "daily door" that swings open easily without needing to open and fold the entire door system.

Our expansive and innovative design, luxury craftsmanship, energy performance, and unmatched customer support makes AG Millworks the natural choice for folding door systems.





- o ALUMINUM CLAD/WOOD, ALL-WOOD, OR SOLID ACCOYA
- o 19 DIFFERENT WOOD SPECIES
- CUSTOM SIZES AVAILABLE
- FACTORY INSTALLED SCREEN SYSTEM
- o MULTIPLE CONFIGURATIONS UP TO 64'W
- o BIG DAYLIGHT PANELS UP TO 4'W AND 13'H
- o AVAILABLE IN SLIMLINE | ultra-modern, EURO | contemporary OR TRADITIONAL | classic STILES AND RAILS
- TITLE 24 COMPLIANT ENERGY PERFORMANCE

- MULTIPLE HARDWARE OPTIONS AND FINISHES
- MULTI-POINT LOCKING SYSTEM
- o RAISED, FLUSH, AND ADA SILL OPTIONS
- TOP HUNG FOR EFFORTLESS OPERATION
- OPTIONAL TRUE AND SIMULATED DIVIDED LITES
- VARIOUS GLASS OPTIONS
- COMMERCIAL OPTIONS AVAILABLE
- O CONVENIENT "DAILY DOOR" SWINGS OPEN WITHOUT NEEDING TO OPEN AND FOLD THE ENTIRE DOOR SYSTEM.

HARDWARE

AG Millworks offers an array of hardware styles and finishes that are well-designed for ease of use with durable craftsmanship for long-lasting quality. Special order options are also available.



DALLAS HANDLE

Available Finishes:

- Rustic Umber
- Matte Black
- Satin Nickel



VERONA HANDLE

Available Finishes:

- Rustic Umber
- Matte Black
- Satin Nickel
- White



SHOOTBOLT HANDLE

Available Finishes:

- Bronze
- Black
- Brushed Chrome

SILL OPTIONS

AG Millworks offers multiple sill styles to accommodate your design needs: Raised, flush, and ADA compliant sills in multiple finishes to match any space.



RAISED ALUMINUM SILL (SQUARE)

Available Finishes:


- Bronze Anodized
- · Clear Anodized



RAISED ALUMINUM SILL (ROUND)

Available Finishes:

- Bronze Anodized
- Clear Anodized



ULTRA GUIDE TRACK

Available Finishes:

- Bronze Anodized
- Clear Anodized



ADA ULTRA GUIDE TRACK


Available Finishes:

- Bronze Anodized
- Clear Anodized

SIZING & CONFIGURATIONS

Each AG Millworks folding system is custom and made-to-order. Folding systems are available up to 64' wide. Our big daylight system is the biggest in the industry: maximum panel sizes of 4' wide and 13' tall.

Folding systems are available in over 70 different configurations, up to 16 panels, 8 in each direction. Below are samples of popular configuration options.



MATERIAL	CLAD/WOOD	ALL-WOOD	SOLID ACCOYA WOOD
PANEL CONSTRUCTION	ALUMINUM CLAD EXTERIOR WITH LVL CORE AND WOOD INTERIOR	WOOD EXTERIOR WITH LVL CORE AND WOOD INTERIOR	SOLID ACCOYA WOOD
U-VALUE SLIMLINE STILES & RAILS LOE 366 WITH ARGON IG	.29	N/A	N/A
U-VALUE EURO STILES & RAILS LOE 366 WITH ARGON IG	.30	.28	.27
U-VALUE TRADITIONAL STILES & RAILS LOE 366 WITH ARGON IG	.31*	.28	.27
PANEL THICKNESS	2-1/4"	2-1/4"	2-1/4"
STILES & RAILS OPTIONS	SLIMLINE ultra-modern 2-1/2" Stiles & Rails with 3-7/16" Lock Stile EURO contemporary 3-7/16" Stiles & Rails TRADITIONAL classic 4-3/4" Top Rail/Stiles with 7" Bottom Rail option	SLIMLINE ultra-modern 2-1/2" Stiles & Rails with 3-7/16" Lock Stile EURO contemporary 3-7/16" Stiles & Rails TRADITIONAL classic 4-3/4" Top Rail/Stiles with 7" Bottom Rail option	SLIMLINE ultra-modern 2-1/2" Stiles & Rails with 3-7/16" Lock Stile EURO contemporary 3-7/16" Stiles & Rails TRADITIONAL classic 4-3/4" Top Rail/Stiles with 7" Bottom Rail option
DIVIDED LITES	SIMULATED DIVIDED LITES 5/8", 7/8", OR 1-1/8"	TRUE DIVIDED LITES 1-3/4" (Custom sizes available)	TRUE DIVIDED LITES 1-3/4" (Custom sizes available)
STICKING TYPE	SQUARE, BEVEL OR OVOLO	SQUARE, BEVEL OR OVOLO	SQUARE, BEVEL OR OVOLO
AVAILABLE WOOD SPECIES	19 WOOD SPECIES (See page 20)	19 WOOD SPECIES (See page 20)	ACCOYA
PREFINISH AVAILABLE (Prime, Paint or Stain)	YES	YES	YES
LOCKING MECHANISM	MULTI-POINT LOCK	MULTI-POINT LOCK	MULTI-POINT LOCK
WARRANTY	10-YEAR LIMITED WARRANTY	1-YEAR LIMITED WARRANTY	5-YEAR LIMITED WARRANTY

^{*}Add i89 coating to meet CA Title 24 Compliant Energy Performance



SLIDING DOOR SYSTEMS

AG MILLWORKS SLIDING DOOR SYSTEMS combine luxury craftsmanship with advanced technology. From ultra-modern to classic styles, our design possibilities allow you to create custom sliding doors that will enhance any home's aesthetic.

Sliding door systems are a great space-saving option. They stack behind each other on one side of an opening or into a concealed pocket in the wall. Our doors are built with superior quality materials and state-of-the-art technology to create a custom sliding door system with great energy performance that will last for generations.

Choose Multi-Slide doors that seamlessly glide with wheels that are always engaged, ready to roll, and are a practical solution for most openings. You can also opt for Lift & Slide doors featuring European engineering that enables you to slide open entire walls with incredible ease at the turn of a handle.





- POCKETING AND NON-POCKETING SYSTEMS
- o ALUMINUM CLAD/WOOD, ALL-WOOD, OR SOLID ACCOYA
- 19 DIFFERENT WOOD SPECIES
- CUSTOM SIZES AVAILABLE
- FACTORY INSTALLED SCREEN SYSTEM
- o AVAILABLE IN SLIMLINE | ultra-modern, EURO | contemporary OR TRADITIONAL | classic STILES AND RAILS

- o TITLE 24 COMPLIANT ENERGY PERFORMANCE
- PREPPED FOR AUTOMATION
- MULTIPLE HARDWARE OPTIONS AND FINISHES
- MULTI-POINT LOCKING SYSTEM
- RAISED AND FLUSH TRACK OPTIONS
- OPTIONAL TRUE AND SIMULATED DIVIDED LITES
- VARIOUS GLASS OPTIONS
- COMMERCIAL OPTIONS AVAILABLE

HARDWARE

AG Millworks offers an array of hardware styles and finishes that are well-designed for ease of use with durable craftsmanship for long-lasting quality. Special order options are also available.



DALLAS HANDLE

Available Finishes:

- Rustic Umber
- · Matte Black
- · Satin Nickel



VERONA HANDLE

Available Finishes:

- · Rustic Umber
- Matte Black
- Satin Nickel
- White
- Polished Brass
- · Oil Rubbed Bronze
- Polished Chrome



ONE PIECE TRUTH FLUSH MOUNT

Available Finishes:

- Bronze PVD*
- · Matte Black
- Satin PVD*

*PVD is an environmentally friendly coating process with no hazardous by-products resulting in brilliant finishes with excellent wear and corrosion resistance.

SILL OPTIONS



SILLution SLIDING DOOR THRESHOLD

Our Sliding Door Systems come standard with our SILLution threshold made from heavy-duty extruded aluminum, providing a flat and smooth surface so doors slide with ease. The SILLution's superior design drives water through weep holes so it can escape through the exit gates and provides easy up-keep without raised tracks to trip over or unsightly snap-on track cover. Available in Bronze Anodized and Clear Anodized finishes.



STAINLESS STEEL RECESSED TRACK

The AG Millworks recessed track system for Multi-Slide doors is made of premium quality, heavy-gauge stainless steel welded into a customized configuration. When fully installed, the sturdy track system lives underground with only a 1/4" high stainless-steel track visible above the finished floor, so there is no raised sill to step over.

*Recommended for low or no-exposure environments only. No warranty for water penetration. Up-charge for the Stainless Steel Recessed Track applies.


SIZING & CONFIGURATIONS

Each AG Millworks Sliding System is custom and made-to-order. Sliding panels are available up to 8' wide x 12' tall, with systems offered up to 80 ft. Below are samples of popular configuration options.


POCKETING



NON-POCKETING




P=POCKET X=OPERABLE





O = FIXED0 X X=OPERABLE

XO or OX

2 PANEL







SLIDING SYSTEM MATERIAL COMPARISON

MATERIAL	CLAD/WOOD	ALL-WOOD	SOLID ACCOYA WOOD
PANEL CONSTRUCTION	ALUMINUM CLAD EXTERIOR WITH LVL CORE AND WOOD INTERIOR	WOOD EXTERIOR WITH LVL CORE AND WOOD INTERIOR	SOLID ACCOYA WOOD
U-VALUE SLIMLINE STILES & RAILS LOE 366 WITH ARGON IG	.30	N/A	N/A
U-VALUE EURO STILES & RAILS LOE 366 WITH ARGON IG	.30	.27	.26
U-VALUE TRADITIONAL STILES & RAILS LOE 366 WITH ARGON IG	.30	.27	.26
PANEL THICKNESS	2-1/4"	2-1/4"	2-1/4"
STILES & RAILS OPTIONS	SLIMLINE ultra-modern 2-1/2" Stiles & Rails with 3-7/16" Lock Stile option EURO contemporary 3-7/16" Stiles & Rails TRADITIONAL classic 4-3/4" Top Rail/Stiles with 7" Bottom Rail option	SLIMLINE ultra-modern 2-1/2" Stiles & Rails with 3-7/16" Lock Stile option EURO contemporary 3-7/16" Stiles & Rails TRADITIONAL classic 4-3/4" Top Rail/Stiles with 7" Bottom Rail option	SLIMLINE ultra-modern 2-1/2" Stiles & Rails with 3-7/16" Lock Stile option EURO contemporary 3-7/16" Stiles & Rails TRADITIONAL classic 4-3/4" Top Rail/Stiles with 7" Bottom Rail option
DIVIDED LITES	SIMULATED DIVIDED LITES 5/8", 7/8", OR 1-1/8"	TRUE DIVIDED LITES 1-3/4" (Custom sizes available)	TRUE DIVIDED LITES 1-3/4" (Custom sizes available)
STICKING TYPE	SQUARE, BEVEL OR OVOLO	SQUARE, BEVEL OR OVOLO	SQUARE, BEVEL OR OVOLO
AVAILABLE WOOD SPECIES	19 WOOD SPECIES (See page 20)	19 WOOD SPECIES (See page 20)	ACCOYA
PREFINISH AVAILABLE (Prime, Paint or Stain)	YES	YES	YES
LOCKING MECHANISM	MULTI-POINT LOCK	MULTI-POINT LOCK	MULTI-POINT LOCK
WARRANTY	10-YEAR LIMITED WARRANTY	1-YEAR LIMITED WARRANTY	5-YEAR LIMITED WARRANTY



SWING DOOR SYSTEMS

AG MILLWORKS FRENCH SWING DOOR SYSTEMS bring timeless elegance, unique sophistication, and a stately architectural element to any space. Whether you choose in-swing or out-swing, ultra-modern, contemporary, or classic, our inventive style options allow you to create custom French Swing doors that will beautifully compliment any decor.

As experts in handcrafting luxury swing systems, we use only the highest quality materials to craft our doors, guaranteeing you a perfect system that will transform your space. Choose AG Millworks for quality products, excellent workmanship, and exceptional customer service for your swing door system.





- ALUMINUM CLAD/ WOOD, ALL-WOOD, OR SOLID ACCOYA
- o 19 DIFFERENT WOOD **SPECIES**
- CUSTOM SIZES **AVAILABLE**
- FACTORY INSTALLED SCREEN SYSTEM
- OPTION
- o AVAILABLE IN SLIMLINE | ultra-modern, EURO | contemporary OR TRADITIONAL | classic STILES AND RAILS

- o MULTIPLE HARDWARE **OPTIONS** AND FINISHES
- o TITLE 24 COMPLIANT **ENERGY** PERFORMANCE **OPTIONS AVAILABLE**

SWING SYSTEM MATERIAL COMPARISON	CLAD/WOOD		ALL- WOOD	SOLID ACCOYA WOOD
PANEL CONSTRUCTION	ALUMINUM EXTERIOR, V INTERIOR F	WOOD	SOLID WOOD PANEL	SOLID ACCOYA WOOD PANEL
U-VALUE SLIMLINE STILES & RAILS LOE 366 WITH ARGON IG	In-swing	.29	N/A	N/A
	Out-swing	.29	N/A	N/A
U-VALUE FURO STILES & RAILS	In-swing	.30	.27	.26
Loe 366 WITH ARGON IG	Out-swing	.30	.28	.27
U-VALUE TRADITIONAL STILES & RAILS	In-swing	.30	.28	.27
LoE 366 WITH ARGON IG	Out-swing	.32*	.28	.27

^{*}Add i89 coating to meet CA Title 24 Compliant Energy Performance



FOLDING WINDOW SYSTEMS

AG MILLWORKS WINDOW SYSTEMS are handcrafted and made-to-order. Looking to create a pass-through window for the ultimate entertaining prowess? We've got your covered. With options to match any of our Bi-fold, Sliding or Swing Door Systems, from ultra-modern to classic, our design options allow you to create custom bi-fold window systems that will transform your space into an indoor/outdoor paradise.

Providing outstanding workmanship and quality products, AG Millworks takes pride in delivering the best folding window systems in the business.

RADIUS BI-FOLD SYSTEMS -

We can build radius folding door or window systems to meet your custom design needs. These systems are unique, innovative, and slide open and closed smoothly on a radius track.

WINDOW/DOOR COMBINATIONS

When a window and door system connect at the center, your walls literally disappear. Our window/door combination systems connect a folding pass-through window system with a folding door system.





- ALUMINUM CLAD/ WOOD, ALL-WOOD, OR SOLID ACCOYA
- o 19 DIFFERENT WOOD **SPECIES**
- CUSTOM SIZES **AVAILABLE**
- FACTORY INSTALLED SCREEN SYSTEM
- o MULTIPLE **HARDWARE OPTIONS** AND FINISHES
- o TITLE 24 COMPLIANT **ENERGY** PERFORMANCE **OPTIONS AVAILABLE**
- o AVAILABLE IN SLIMLINE | ultra-modern, EURO | contemporary OR TRADITIONAL | classic STILES AND RAILS

WINDOW SYSTEM MATERIAL COMPARISON	CLAD/WOOD	ALL- WOOD	SOLID ACCOYA WOOD
PANEL CONSTRUCTION	ALUMINUM CLAD EXTERIOR, WOOD INTERIOR PANEL	SOLID WOOD PANEL	SOLID ACCOYA WOOD PANEL
U-VALUE SLIMLINE STILES & RAILS LOE 366 WITH ARGON IG	.29	N/A	N/A
U-VALUE EURO STILES & RAILS LOE 366 WITH ARGON IG	.30	.28	.27



Zero corner systems can turn any dark corner into a light-filled entertainment space and can create a wide-open, panoramic view with no supporting post at the corner. This configuration is created when two folding or sliding systems meet at 90°.

DIVIDED LITES

Simulated divided lites for clad/wood systems available in 5/8", 7/8", or 1-1/8" widths. True divided lites for solid accoya and all-wood systems available in 1-3/4" widths.





TRANSOM/BI-FOLD, SLIDER OR FRENCH SWING COMBINATIONS

Our innovative transoms are handcrafted to match your folding door system without the risk of deflection.

We can also build transoms to match the ones already in your home.

RETRACTABLE ACCORDION SCREENS

We are the only manufacturer who factory installs retractable accordion screens and fully integrates them into the door jamb. When extended, they protect your home from unwanted insects; when retracted, they disappear almost completely from view. Screens can also be pocketed inside the jamb to remain entirely out of sight. Made of polyester mesh that slides smoothly. Available on all door and window systems (except in-swing French door systems).





STANDARD CLAD COLORS

Available for aluminum clad/wood systems. Meets AAMA 2605. (Colors may vary due to printing process).











CARBON BLACK

ESPRESSO BROWN

SANDCASTLE TAN

LINEN WHITE

CLEAR ANODIZED

CUSTOM CLAD COLORS

We have unlimited custom colors available and we'll match any manufacturer's exterior clad color to ensure a consistent look throughout your home.

WOOD SPECIES

- CLEAR ALDER
- KNOTTY ALDER
- CLEAR CEDAR
- KNOTTY CEDAR
- DOUGLAS FIR
- HAND-MATCHED DOUGLAS FIR
- NORTH AMERICAN RED OAK

- NORTH AMERICAN WHITE OAK
- RIFT SAWN WHITE OAK
- QUARTER SAWN WHITE OAK
- AFRICAN MAHOGANY
- GENUINE MAHOGANY
- SIPO MAHOGANY
- SAPELE MAHOGANY

- CHERRY
- WALNUT
- ACCOYA (paint or stain grade. Solid wood only)
- BASS (paint or stain grade)
- PINE (paint or stain grade)





STILES AND RAILS

AG Millworks offers three profile variations for your door panels: Slimline for the ultra-modern vibe; Euro is a contemporary look; and Traditional offers classic styling.



SLIMLINE | ultra-modern 2-1/2" Stiles & Rails with 3-7/16" Lock Stile



EURO | contemporary 3-7/16" Stiles & Rails



TRADITIONAL | classic 4-3/4" Top Rail/Stiles with 7" Bottom Rail option

WARRANTY

Clad/Wood Systems: 10-year limited warranty Solid Accoya Wood Systems: 5-year limited warranty All-Wood Systems: 1-year limited warranty, with minimum

overhang requirements



See agmillworks.com/warranty for full details.

